

FRAMECAD Prefinished Fibre Cement Cladding

Using Fibre Cement as the base material, the cladding is extruded, pressed, cured, and then painted to produce a high quality cladding material. Gives the appearance of traditional solid cladding materials, with the benefits of rapid installation and superior consistency and quality.



Applications

- Residential Villas and Houses
- Hotels, Retail and Shopping Centres
- Offices and Commercial Buildings

Features & Benefits

- Manufactured in a computer controlled facility resulting in a high quality cladding solution with consistent size, shape, and excellent surface finish
- Durable reinforced fibre cement substrate provides excellent durability and impact resistance
- The dimensional stability of fibre cement makes it suitable for all climates, as well as providing insulation from extreme heat, cold, and noise
- Mechanical fixing system makes installation easy, while providing a strong connection to the steel framing and making allowance for seismic movement and drainage cavity for moisture
- T&G joint systems provides effective weathering resistance
- Available prefinished in 12 different styles and several colour combinations
- High quality paint finish minimises ongoing maintenance, and delivers excellent service life of up to 30 years
- Available as a solid cladding (S series) or hollow cladding (K Series) for better thermal insulation and reduced weight
- Full range of accessories available, including external corner jointers and window surrounds

Manufacturing Classification:


- Manufactured under ISO9001 certified Quality Management System
- Manufactured under ISO14001 certified Environmental Management System

PROPERTIES			
	STANDARD	K SERIES	S SERIES
Flexural Load	JIS A5422-2002	1700N	1400N
Impact Resistance	JIS A5422-2002	No Crack	
Impermeability	JIS A5422-2002	1.0mm	0.8mm
% of Moisture	JIS A5422-2002	6.8%	8.2%
% of Moisture Absorption	JIS A5422-2002	18%	19%
Thermal Conductance	GB/10294-1988	0.1767W/mk	0.468W/mk

SPECIFICATIONS									
	Product	Length (mm)	Width (mm)	Effective Width (mm)	Thick (mm)	Area (m ²)	Effective Area (m ²)	Weight (kg/m ²)	Weight (kg/unit)
FRAMECAD Prefinished Fibre Cement Cladding	S Series - 16	2810	470	460	16	1.32	1.29	23.00	29.73
	K Series - 22	2810	315	300	22	0.89	0.84	28.47	24.00
	K Series - 18	2810	315	300	18	0.89	0.84	23.00	19.39

FRAMECAD Prefinished Fibre Cement Cladding

K-SERIES



S-SERIES



FRAMECAD Cladding and Lining is distributed by:
 FRAMECAD Building Products
 PO Box 1292
 Auckland 1140, New Zealand

P +64 9 377 6640
F +64 9 307 7139
E info@framecad.com

Innovation Integration Sustainability

www.framecad.com